

Message

---

**From:** DeJong, Stephanie [DeJong.Stephanie@epa.gov]  
**Sent:** 6/15/2020 5:33:50 PM  
**To:** Clark, Amy [Clark.Amy@epa.gov]; Robinson, Valois [Robinson.Valois@epa.gov]; Minter, Douglas [Minter.Douglas@epa.gov]  
**CC:** Volk, Everett [volk.everett@epa.gov]  
**Subject:** RE: DB: Help On Surface Water Comments

## Ex. 5 Deliberative Process (DP)

**From:** Clark, Amy <Clark.Amy@epa.gov>  
**Sent:** Monday, June 15, 2020 11:23 AM  
**To:** Robinson, Valois <Robinson.Valois@epa.gov>; DeJong, Stephanie <DeJong.Stephanie@epa.gov>; Minter, Douglas <Minter.Douglas@epa.gov>  
**Cc:** Volk, Everett <volk.everett@epa.gov>  
**Subject:** RE: DB: Help On Surface Water Comments

Hi Valois – U

## Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

## Ex. 5 Deliberative Process (DP)

--  
*Amy Clark* / Produced Water Lead - Water Division / USEPA Region 8 / 303.312.7014

**From:** Robinson, Valois <Robinson.Valois@epa.gov>  
**Sent:** Monday, June 15, 2020 7:58 AM  
**To:** DeJong, Stephanie <DeJong.Stephanie@epa.gov>; Minter, Douglas <Minter.Douglas@epa.gov>  
**Cc:** Clark, Amy <Clark.Amy@epa.gov>; Volk, Everett <volk.everett@epa.gov>  
**Subject:** RE: DB: Help On Surface Water Comments

Thanks!

*Valois*

---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program  
MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276  
[robinson.valois@epa.gov](mailto:robinson.valois@epa.gov)

---

**From:** DeJong, Stephanie <[DeJong.Stephania@epa.gov](mailto:DeJong.Stephania@epa.gov)>  
**Sent:** Monday, June 15, 2020 7:15 AM  
**To:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>; Minter, Douglas <[Minter.Douglas@epa.gov](mailto:Minter.Douglas@epa.gov)>  
**Cc:** Clark, Amy <[Clark.Amy@epa.gov](mailto:Clark.Amy@epa.gov)>; Volk, Everett <[volk.everett@epa.gov](mailto:volk.everett@epa.gov)>  
**Subject:** RE: DB: Help On Surface Water Comments

Hi Valois,

I'm going to ask Amy Clark to help answer your questions along with Everett.

**Ex. 5 Deliberative Process (DP)**

**Ex. 5 Deliberative Process (DP)**

Thanks,  
Stephanie

---

**From:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>  
**Sent:** Friday, June 12, 2020 3:59 PM  
**To:** Minter, Douglas <[Minter.Douglas@epa.gov](mailto:Minter.Douglas@epa.gov)>  
**Cc:** DeJong, Stephanie <[DeJong.Stephania@epa.gov](mailto:DeJong.Stephania@epa.gov)>  
**Subject:** RE: DB: Help On Surface Water Comments

Hello Douglas and Stephanie,

Thanks for reaching out.

**Ex. 5 Deliberative Process (DP)**

Are there any other questions I can answer before we move forward?

Thanks so much!

*Valois*

---

Valois Robinson  
EPA Region 8  
Underground Injection Control Program  
MailCode: 8WD-SDU  
1595 Wynkoop Street  
Denver, CO 80202-1129  
(303) 312-6276  
[robinson.valois@epa.gov](mailto:robinson.valois@epa.gov)

---

**From:** Minter, Douglas <[Minter.Douglas@epa.gov](mailto:Minter.Douglas@epa.gov)>  
**Sent:** Friday, June 12, 2020 8:52 AM  
**To:** Robinson, Valois <[Robinson.Valois@epa.gov](mailto:Robinson.Valois@epa.gov)>  
**Cc:** DeJong, Stephanie <[DeJong.Stephanie@epa.gov](mailto:DeJong.Stephanie@epa.gov)>  
**Subject:** DB: Help On Surface Water Comments

Hi Valois: Stephanie called me this morning after having been contacted by Everett requesting technical assistance for responding to comments on surface water related issues for the Dewey Burdock UIC permits.

## Ex. 5 Deliberative Process (DP)

She said that Amy would be the best fit for stormwater and Qian would be the best fit for releases to waters of the US.

Can you confirm where the majority of comments fall and whether Qian or Amy would be best person to draft responses?

I told Stephanie that you could reach out to them and she told me she would be giving them a heads up.

Thanks!

Douglas Minter, MPH  
UIC Section Chief  
1595 Wynkoop Street  
USEPA Region 8

(303) 312 6079

“Practicing Public Servant Leadership”